

Pushbutton Switches

with Push-In Plus technology

A22N-P/A30N-P (Pushbutton Switches, Selector Switches)

M22N-P (Indicators)

A22NE-P (Emergency Stop Switch)

Bringing Advances to Control Panels
with Labor-saving and Downsizing



- Improved workability in wiring and installation
- Pushbutton with Push-In Plus technology for easy wiring
- Changes to the wiring direction and a shorter body provide freedom in the layout

New Value For Control Panels

Control Panels: The Heart of Manufacturing Sites.

Evolution in control panels results in large evolution in production facilities.

And if control panel design, control panel manufacturing processes, and human interaction with them are innovated, control panel manufacturing becomes simpler and takes a leap forward.

OMRON will continue to achieve a control panel evolution and process innovation through many undertakings starting with the shared Value Design for Panel *1 concept for the specifications of products used in control panels.

*1 Value Design for Panel



Our shared Value Design for Panel (herein after referred to as "Value Design") concept for the specifications of products used in control panels will create new value to our customer's control panels. Combining multiple products that share the Value Design concept will further increase the value provided to control panels.




Further Evolution for Panels

New Value For Control Panels

Innovation for panel building Process

Simple & Easy for panel business People



Panels

People



Bringing Advances to Control Panels with Labor-saving and Downsizing


Pushbutton with Push-In Plus technology Added to Lineup.

The OMRON Push-In Plus technology of products has now been advanced further with the addition of new Pushbutton Switches to the 22 dia./30 dia. series. These products offer new value through further reductions to the work necessary and a more compact design.



Improved Workability in Wiring and Installation

Rear Insertion Is Used, So the Wiring Part Can Be Checked Directly and Insertion Is Easy



Safety Locked by Sliding One Piece during the Installation

Only one step is required for a safety lock.
Only two steps are required for easy removal.



Push-In Plus technology for Easy Wiring

Just Insert Wires: No Tools Required
 Now you can use Push-In Plus technology to reduce the time and work involved in wiring.


Greatly Reduce Wiring Work with Push-In Plus technology



Conventional screw terminal blocks OMRON Push-In Plus terminal block
 *Information for Push-In Plus and screw terminal blocks is based on OMRON's actual measurement value data.

Screwdriver Held in Place to Free Both Your Hands

Optimized shape to hold the screwdriver was created by the resin parts and the spring. Work goes smoothly when connecting stranded wires directly to the terminal because it's easier to aim at the desired terminal.



Easy to Insert

OMRON's Push-In Plus technology are as easy as inserting to an earphone jack. They help reduce the work load and improve wiring quality.

Held Firmly in Place


Even though less insertion force is required, the wires are held firmly in place. The advanced mechanism design technology and manufacturing technology produced a spring that ensures better workability and reliability.

IEC standard (cable diameter)	Push-In Plus terminal block	Screw terminal block
20 N min. (AWG20, 0.5 mm ²)	125 N	112 N

*Information for Push-In Plus and screw terminal blocks is based on OMRON's actual measurement value data.

No Retightening Required


Tightening screws is necessary for screw terminal blocks, but with Push-In Plus technology, there is no need for retightening. This reduces works for wirings, inspections, delivery (shipping), or maintenance.



Changes to the Wiring Direction and a Shorter Body Provide Freedom in the Layout

The Body Approximately 20% Shorter Than That of the Screw Terminal Block Type for Thinner Control Panels

We have taken every effort to reduce the body length in the design and realized a short body that is in the smallest class* in the industry. This contributes to reductions of the panel thickness.




Lighting Units for Lighted Switches are the Same Size as Contact Blocks

The size of Lighting Units is reduced in the same ways as Contact Blocks.




No Need to Secure Space Above and Below for Wiring









Rear insertion is used to improve the freedom in the design.







Product Lineup Set Model Numbers

Type	Size	Push-In Plus terminal block type		Screw terminal block type		
Pushbutton Switch	22 dia.	A22NN-P/A22NL-P			A22NN/A22NL	
	30 dia.	A30NN-P/A30NL-P			A30NN/A30NL	
Selector Switch	22 dia.	A22NS-P/A22NW-P			A22NS/A22NW	
	30 dia.	A30NS-P/A30NW-P			A30NS/A30NW	
Key-type Selector Switch	22 dia.	A22NK-P			A22NK	
	30 dia.	A30NK-P			A30NK	
Indicator	22 dia.	M22N-P			M22N	
Emergency Stop Switch	30 dia.	A22NE-S-P			A22E-S	
	40 dia.	A22NE-M-P			A22E-M/A22EL-M	
	60 dia.	A22NE-L-P			A22E-L	

Button Profile Pushbutton Switches

	Button		Profile				
	Bezel	Button	Flat	Projected	Full-guard	Mushroom	
A22N	Plastic	Red					
			Brushed metal				
				Metal			—
A30N	Brushed metal	Red					

Emergency Stop Switch

		30 dia.	40 dia.	60 dia.
A22NE	Lighted			
	Non-lighted	—		—

Color Variation on Button

		Red	Green	Yellow	White	Blue	Black	Orange	Opaque white
Non-lighted Switches	Opaque							—	—
	Transparent						—		—
Lighted Switches	When not lit						—		
	When lit						—		

Products That Create New Value in Control Panels



Switch Mode Power Supplies S8VK-S



Uninterruptible Power Supply (UPS) S8BA



Power Monitors KM-N2/KM-N3



Machine Automation Controllers NX Series NX1P



Measuring and Monitoring Relays K8DT



Solid-state Timers H3DT




Solid-state Timers H3Y(N)-B



Solid-state Timers H3RN-B



Liquid Leakage Sensor Amplifiers K7L-B



EtherCAT Slave Terminals NX Series NX-IO



Sockets for Relays with Forcibly Guided Contacts (for G7SA) P7SA-PU



Common Sockets (for MY/H3Y(N)-B) PYF-PU(L)



Common Sockets (for G2R-S/H3RN-B/K7L-B) P2RF-PU




Slim I/O Relays G2RV-SR



Slim I/O Relays G3RV-SR



I/O Relay Terminals G70V



DIN Track Terminal Blocks XW5T



Pushbutton Switches A22N-P/A30N-P/M22N-P



Emergency Stop Switches A22NE-P



Solid State Relays for Heaters G3PJ



Digital Temperature Controllers E5CC-B/E5EC-B



Digital Temperature Controllers E5CD-B/E5ED-B

Panel Assist Web

www.ia.omron.com/solution/panel/



Refer to the A22N/M22N/A30N Pushbutton Switches/Selector Switches/Indicators Datasheet (Cat. No. A254), A22E/A22NE-P Emergency Stop Switch (Cat. No. A262) for details. Before you place an order, please read and understand "Agreement for Using the Product" available on Omron's latest "Best control devices Omron", "General Brochure" or Omron's website.

OMRON Corporation Industrial Automation Company
Kyoto, JAPAN

Contact: www.ia.omron.com

Regional Headquarters

OMRON EUROPE B.V.
Wegalaan 67-69, 2132 JD Hoofddorp
The Netherlands
Tel: (31)2356-81-300/Fax: (31)2356-81-388

OMRON ASIA PACIFIC PTE. LTD.
No. 438A Alexandra Road # 05-05/08 (Lobby 2),
Alexandra Technopark,
Singapore 119967
Tel: (65) 6835-3011/Fax: (65) 6835-2711

OMRON ELECTRONICS LLC
2895 Greenspoint Parkway, Suite 200
Hoffman Estates, IL 60169 U.S.A.
Tel: (1) 847-843-7900/Fax: (1) 847-843-7787

OMRON (CHINA) CO., LTD.
Room 2211, Bank of China Tower,
200 Yin Cheng Zhong Road,
PuDong New Area, Shanghai, 200120, China
Tel: (86) 21-5037-2222/Fax: (86) 21-5037-2200

Authorized Distributor:

© OMRON Corporation 2016-2017 All Rights Reserved.
In the interest of product improvement,
specifications are subject to change without notice.
CSM_3_1_1217
Cat. No. A253-E1-03 1217 (0916)