


## HC-SMP 125-B16-AMQ

Order No.: 1660973

The illustration shows version HC-SMP 125-B 10 with double locking latch

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1660973>HEAVYCON connector assembly frame with panel mounting base with  
double locking latch, for contact inserts of type B16

### Commercial data

GTIN (EAN)	 4 017918 022389
sales group	D021
Pack	5 pcs.
Customs tariff	85389099
Catalog page information	Page 539 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
12/01/2005

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data

Note	For contact inserts B16, BB32, DD72, HS6 and HV6
Length	125 mm
Height	52 mm
Hole diameter	4.5 mm
Material	PA

Inflammability class acc. to UL 94	HB
Design	B16
Drill hole distance, horizontal	104 mm
Drill hole distance, vertical	32 mm

**Certificates / Approvals**






Certification

GOST

**Diagrams/Drawings**

Dimensioned drawing





**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;