




OPTION CODE -1\*




CKT NO 1



SECTION A-A


NOTES:

1. MATERIAL: GLASS FILLED POLYESTER 94V-0 COLER WHITE.
2. PLATINGS:  
P909 - HOT TIN DIP: .000100/(0.00254) MIN.  
\* THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN/LEAD PLATING.
3. PRODUCT SPECIFICATION: NONE
4. PACKAGING: BULK
5. TERMINAL TO HOUSING RETENTION FORCE: 3 LBS. MIN.
6. CONNECTORS ARE NOT STACKABLE ON .100/(2.54) CENTERS.
7. TERMINALS CONFORM TO SOLDERABILITY SPECIFICATION SMES-152.
8. .085/(2.16) DIM. WILL VARY DEPENDING ON LEAD THICKNESS.




RECOMMENDED PC BOARD LAYOUT

OPTION CODE -2\*



CKT NO 1



SECTION A-A

4038-N \*  
ASSEMBLY OPTION CODE  
1= STRAIGHT  
2= RIGHT ANGLE  
TERMINAL SEE CHART

|           |    |
|-----------|----|
| 2         | D  |
| 1         | D1 |
| SHT. REV. |    |

|  |                 |                                       |                 |      |           |                   |                        |
|--|-----------------|---------------------------------------|-----------------|------|-----------|-------------------|------------------------|
| ADD DIMENSION<br>EC NO: UCP2007-0731<br>DRAWN: P. DDER 2006/09/29<br>CHKD: ADERR 2006/10/03<br>APPR: FSM TH 2006/10/17 | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | DIMENSION STYLE |      | SCALE 1:1 | DESIGN UNITS INCH | THIRD ANGLE PROJECTION |
|  | ▽=0             |                                       | mm              | INCH |           |                   |                        |
|  | ▽=0             |                                       |                 |      |           |                   |                        |
|  | D1              |                                       |                 |      |           |                   |                        |

|  |                  |                 |
|--|------------------|-----------------|
| 4 PLACES ± --- ± ---                                 | DRAWN BY SAMIEC  | DATE 1992/01/10 |
| 3 PLACES ± --- ± .010                                | CHECKED BY       | DATE            |
| 2 PLACES ± 0.25 ± .014                               | PATEL            | 1992/01/10      |
| 1 PLACE ± 0.36 ± ---                                 | APPROVED BY LENZ | DATE 1992/01/10 |
| ANGULAR ±1/2°  |                  |                 |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS |                  |                 |

|   |              |
|---|--------------|
| MATERIAL NO.  | DOCUMENT NO. |
| SEE CHART   | SDA-4038     |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |              |

|   |  |
|---|--|
| TITLE<br>TRANSISTOR SOCKET ASSY<br>4038 SERIES DWG. |  |
| MOLEX INCORPORATED                                  |  |
| SHEET NO. 1 OF 2                                    |  |

