



CORE DIMENSIONS(SPEC): mm [in]

A	14.99 [.590]	±	0.23 [.009]
B	6.76 [.266]	±	0.25 [.010]
C	28.83 [1.135]	±	0.51 [.020]
D	7.49 [.295]	±	0.18 [.007]



CASE DIMENSIONS(SPEC): mm [in]


A	21.00 [.827]	±	0.25 [.010]
B	6.80 [.268]	±	0.25 [.010]
C	41.70 [1.642]	±	0.50 [.020]
D	21.00 [.827]	±	0.50 [.020]
E	4.85 [.191]	±	Ref.

UNCONTROLLED DOCUMENT

*NET IMPEDANCE (Z)			
Frequency	300 MHz	500 MHz	1 GHz
Nominal (REF)	275 Ω	340 Ω	200 Ω
Minimum	- Ω	272 Ω	- Ω

* NET IMPEDANCE IS IMPEDANCE OF THE FERRITE CORE ONLY. ALL IMPEDANCE CONTRIBUTION FROM TEST WIRE AND FIXTURES HAS BEEN REMOVED.

NET Z,R AND X vs. FREQUENCY
(REF. ONLY)



AGILENT E4991A Impedance/Material Analyzer
HP 16092A-Test Fixture REF 2827

NOTES:

1. ASSEMBLED PART #: HFA150068-0A2
2. CASE COLOR: BLACK - "0A2"

DIMENSIONS ARE IN mm[INCHES].

REV	DESCRIPTION	DATE	INT	JRK	DATE	SCALE	TOOL #	REV	PART TYPE	DRAWN BY:
A	ORIGINAL DRAFT	09/02/04	INT	JRK	09/02/04	NTS		C	FERRITE SNAP-ON	JRK
B	REMOVE NOTES 1, 3, & 5 REMOVE CORE & CASE P/Ns REV CASE DIMS & TOLS ADD DIM E TO CASE ADJUST CORE DIM B, C, & D TOLERANCES	05/15/06	TMB							
C	UPDATED LOGO	03/13/13	QUJ							

This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.

PROJECT/PART NUMBER: **HFA150068-0A2**

DATE: 09/02/04

SCALE: NTS

MATERIAL: NiZn Ferrite