

## Specification Sheet

Part Number: HH-20



Screw mount wire retainer, .83" Max. Bundle Dia, PA66, Natural, 25/pkg

<b>Article Number</b>	120-00080
<b>Type</b>	HH20
<b>Color</b>	Natural (NA)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>•Screw mount wire retainer designed for use in harness board assemblies.</li><li>•The wire retainers provide a stand-off to the wire and cable bundles for easier cable tie application.</li><li>•Wires are individually inserted, and bundles are preformed, making harnessing easier.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	HH20 wire retainer
<b>Short Description</b>	Screw mount wire retainer, .83" Max. Bundle Dia, PA66, Natural, 25/pkg
<b>Global Part Name</b>	HH20-PA66-NA

<b>Minimum Tensile Strength (Imperial)</b>	18.0
<b>Minimum Tensile Strength (Metric)</b>	80
<b>Length L (Imperial)</b>	4.0
<b>Length L (Metric)</b>	100
<b>Width W (Imperial)</b>	1.22
<b>Width W (Metric)</b>	31.0
<b>Bundle Diameter Max (Imperial)</b>	0.83
<b>Bundle Diameter Max (Metric)</b>	20.0
<b>Power supply unit</b>	Electrical
<b>Height H (Imperial)</b>	2.12
<b>Height H (Metric)</b>	54
<b>Mounting Hole Diameter D (Imperial)</b>	0.15
<b>Mounting Hole Diameter D (Metric)</b>	3.9 mm
<b>Material</b>	Polyamide 6.6 (PA66)
<b>Material Shortcut</b>	PA66

<b>Flammability</b>	UL 94 V2
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	25
<b>Package Quantity (Metric)</b>	25
<b>Customs Number</b>	3926909987
<b>Content Unit(BMEcat)</b>	pcs.
<b>Weight (Metric)</b>	0.01