





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN, 1992.
 © COPYRIGHT 1992 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J	/		D	REVISED PER ECO-15-007228	17JUL2015	RG	SH

--; AS SHOWN



- ① MATERIAL; HOUSING: GLASS FILLED NYLON 6T (UL 94V-0) BLACK.
CONTACT: PHOSPHOR-BRONZE
 - ② FINISH: GOLD PLATING ON CONTACT AREA AND TIN-LEAD PLATING ON TINE AREA OVER NICKEL PLATING.
GOLD PLATING THICKNESS SHOWN TABLE.
 - ③ BOSS FOR POSITIONING: APPLY FROM 40 POS TO 100 POSN.
- ① 材料: *ハウジング; ガラス入りナイロン 6T (UL 94V-0) 色、黒。
*コンタクト: 燐青铜。
- ② 表面仕上げ;
ニッケル下地めっきに接触部金めっき、半田付部
半田めっきを施す。金めっき厚は下表参照。
- ③ ボスは40極から100極まで適用。

29	36.83	38.83	41.92	49.45	46.8	0.76µm	60	2-179533-2						
a	A	b	B	c	C	D	E	F	G	H	J	THK OF GOLD	POS.	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN H.KODAMA 27MAY1994	Tyco Electronics Corporation Kawasaki, Japan
CHK Y.FUJIURA 28MAY1994	
APVD Y.FUJIURA 28MAY1994	
NAME Y.FUJIURA	

製品規格: AMP FH CONNECTOR RECEPTACLE, VERTICAL
13mm STACKING, HIGH TEMP TYPE

SIZE A3	CAGE CODE 00779	DRAWING NO C-179533	RESTRICTED TO
------------	--------------------	------------------------	---------------

CUSTOMER DRAWING

SCALE: 尺度 NTS SHEET: 1 OF 1 REV: D

GENERAL TOLERANCE 一般公差

10 ≥	±0.2
30 ≥ > 10	±0.25
100 ≥ > 30	±0.3
ANGLES	±3°

DIMENSIONS: 単位: 耗 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	FINISH 仕上
0 PLC ± -	①
1 PLC ± -	②
2 PLC ± -	
3 PLC ± -	
4 PLC ± -	
ANGLES ± -	

MATERIAL 材料