

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

.19

© COPYRIGHT 19

BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

MOD 23 LOC BD DIST 39

P F

ZONE LTR

E

REVISIONS DESCRIPTION DATE APPD

REVISIONS

DESCRIPTION


DATE

APPD

REDRAWN AND REV PER ECN BD4183

8-20-90

KB



207850-1

PART NUMBER

1. WIRE INSULATION SEALING RANGE .070-.130 DIA.
2. THIN MEMBRANE PERMISSIBLE ON SMALL DIAMETER OF WIRE SEALS.
3. ROTATION OF CAVITY CIRCUIT KEY FROM PART TO PART IS PERMISSIBLE.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN INCHES TOLERANCES ON:
 2 PLC DEC * -
 3 PLC DEC * -
 ANGLES * -

MATERIAL SEE CALLOUT

FINISH -

DR 8-20-90 J. GALLUCCI BG

CHK J. Mullin 1-4-91

APPD R. Beaver 1-18-91

APPD J. Fisher 1/24/91

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

AMP AMP INCORPORATED Harrisburg, Pa. 17105

NAME RECEPTACLE, 6 POSITION, STANDARD ECONOSEAL CONNECTOR

SIZE **B** FSC# NO 00779 DRAWING NO 207850

SCALE 2:1 SHEET 1 OF 1